

# ORDER FOR SUPPLIES OR SERVICES

*(Contractor must submit four copies of invoice.)*

Form Approved  
OMB No. 0704-0187  
Expires Jun 30, 1997

PAGE 1 OF  
**17**

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0187), Washington, DC 20503.

**PLEASE DO NOT RETURN YOUR FORM TO EITHER OF THESE ADDRESSES.  
SEND YOUR COMPLETED FORM TO THE PROCUREMENT OFFICIAL IDENTIFIED IN ITEM 6.**

1. CONTRACT/PURCH ORDER NO. <b>DAAE07-03-D-S023</b>		2. DELIVERY ORDER NO. <b>UB48</b>		3. DATE OF ORDER (YYMMDD) <b>2004 OCT 14</b>		4. REQUISITION/PURCH REQUEST NO. <b>See Schedule</b>		5. PRIORITY <b>DOA4</b>	
6. ISSUED BY <b>Defense Supply Center Columbus P.O. Box 3990 Columbus, OH 43218-3990 Local Administrator: PLLXCAR (614)692-3350 / FAX: (614)693-1576 E-mail: Duanna.Jorgensen@dla.mil</b>				7. ADMINISTERED BY (If other than 6) <b>DCMA DETROIT US ARMY TANK &amp; AUTOMOTIVE COMMAND-T ATTN: DCMAE-GJD WARREN MI 48397-5000</b>		8. DELIVERY FOB <input checked="" type="checkbox"/> DEST <input type="checkbox"/> OTHER <i>(See Schedule if other)</i>			
9. CONTRACTOR <b>U.S. DEFENSE SERVICES INC. DBA USDS 35418 MOUND RD. STERLING HEIGHTS MI 48310-4721</b>		10. DELIVER TO FOB POINT BY (Date) (YYMMDD) <b>See Schedule</b>		11. MARK IF BUSINESS IS <input checked="" type="checkbox"/> SMALL <input type="checkbox"/> SMALL DISADVANTAGED <input type="checkbox"/> WOMEN-OWNED		12. DISCOUNT TERMS <b>NET 30 days</b>		13. MAIL INVOICES TO <b>See Block 15</b>	
14. SHIP TO <b>See Schedule - Do Not Ship to Address in Block 6</b>		15. PAYMENT WILL BE MADE BY <b>ATTN DFAS CO BVD/PCC/CC CONSTRUCTION 3990 E BROAD ST PO BOX 182317 COLUMBUS OH 43218-6203</b>		16. MARK ALL PACKAGES AND PAPERS WITH CONTRACT OR ORDER NUMBER					

16. TYPE OF ORDER	DELIVERY <input checked="" type="checkbox"/>	PURCHASE <input type="checkbox"/>	This delivery order is issued on another Government agency or in accordance with and subject to terms and conditions of above numbered contract. Reference your _____ and furnish the following on terms specified herein. <b>ACCEPTANCE. THE CONTRACTOR HEREBY ACCEPTS THE OFFER REPRESENTED BY THE NUMBERED PURCHASE ORDER AS IT MAY PREVIOUSLY HAVE BEEN OR IS NOW MODIFIED, SUBJECT TO ALL OF THE TERMS AND CONDITIONS SET FORTH, AND AGREES TO PERFORM THE SAME.</b>						
-------------------	--	-----------------------------------	--	--	--	--	--	--	--

NAME OF CONTRACTOR	SIGNATURE	TYPED NAME AND TITLE	DATE SIGNED (YYMMDD)
<input type="checkbox"/> If this box is marked, supplier must sign. Acceptance and return the following number of copies:			

17. ACCOUNTING AND APPROPRIATION DATA/LOCAL USE  
**CG: 97X4930 5CC0 001 26.0 S33150**

18. ITEM NO.	19. SCHEDULE OF SUPPLIES/SERVICE	20. QUANTITY ORDERED/ACCEPTED*	21. UNIT	22. UNIT PRICE	23. AMOUNT
	<b>Remarks: ACCELERATED DELIVERY IS ACCEPTABLE AND DESIRED AT NO COST TO THE GOVERNMENT. Duty free entry authorized.</b>	<b>TOTAL: 853</b>			

* If quantity accepted by the Government is same as quantity ordered, indicate by X. If different, enter actual quantity accepted below quantity ordered and encircle.		24. UNITED STATES OF AMERICA BY: <i>Don M. Angle</i> CONTRACTING ORDERING OFFICER		25. TOTAL \$ <b>16560.88</b>	
26. QUANTITY IN COLUMN 20 HAS BEEN <input type="checkbox"/> INSPECTED <input type="checkbox"/> RECEIVED <input type="checkbox"/> ACCEPTED, AND CONFORMS TO THE CONTRACT EXCEPT AS NOTED		27. SHIP. NO.		29. DIFFERENCE	
DATE _____ SIGNATURE OF AUTHORIZED GOVERNMENT REPRESENTATIVE _____		<input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		30. INITIALS	
36. I certify this account is correct and proper for payment. DATE _____ SIGNATURE AND TITLE OF CERTIFYING OFFICER _____		31. PAYMENT <input type="checkbox"/> COMPLETE <input type="checkbox"/> PARTIAL <input type="checkbox"/> FINAL		32. PAID BY	
37. RECEIVED AT		38. RECEIVED BY (Print)		33. AMOUNT VERIFIED CORRECT FOR	
39. DATE RECEIVED (YYMMDD)		40. TOTAL CONTAINERS		34. CHECK NUMBER	
		41. S/R ACCOUNT NUMBER		35. BILL OF LADING NO.	
		42. S/R VOUCHER NO.			

Please refer to your BASIC CONTRACT for additional terms and conditions.

## SECTION B

PR YPC04273000520  
NSN 2540-01-184-1960

## ITEM DESCRIPTION:

GUARD, SPLASH, VEHICU

U.S. DEFENSE SERVICES INC. (0BAT5) P/N 91797-991  
ALVIS HAGGLUNDS AB (S3465) P/N 91797-991

ITEM	PR	PRLI	QUANTITY	UNIT	UNIT PRICE	AMOUNT
0001	YPC04273000520	0001	38	EA	\$46.08000	\$1751.04

QTY VARIANCE: PLUS 0% MINUS 0%  
INSPECTION POINT: ORIGIN  
ACCEPTANCE POINT: ORIGIN

## PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999  
QUP = 001: PRES MTHD = ZZ: CLNG/DRY = X: PRESV MAT = XX:  
WRAP MAT = XX: CUSH/DUNN MAT = XX: CUSH/DUNN THKNESS = X:  
UNIT CONT = XX: OPI = O:  
INTRMDTE CONT = XX: INTRMDTE CONT QTY = XXX:  
PACK CODE = U:  
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.  
SPECIAL MARKING CODE: 00 - NO SPECIAL MARKING.  
PALLETIZATION SHALL BE IN ACCORDANCE WITH DC1636P001 REV E  
DATED 3029  
SUPPLEMENTAL INSTRUCTIONS

PRESERVATION AND PACKAGING SHALL BE  
IAW ASTM-D3951, COMMERCIAL PACKAGING.

For all shipments of packaged materiel to the government, which includes either depot (DLA-direct) or DVD (customer-direct) shipments, both DoD linear and 2-D bar code markings are required on military shipping labels in accordance with MIL-STD-129, revision P, dated December 15, 2002. 2-D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. MSL label stock quality shall meet MIL-PRF-61002. MSL bar code print quality

CONTINUED ON NEXT PAGE

SECTION B

shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2-D and/or linear bar codes. All DVD shipments shall meet additional linear bar coding requirements in DLAD 52.211-9008. When the contract/order omits any data element required to be bar-coded, the field shall be zero-filled. These requirements do not apply to delivery orders when the basic contract has not been modified to require MIL-STD-129P. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

DELIVER FOB: DESTINATION BY: 2005 FEB 11

PARCEL POST ADDRESS:

W25G1U  
XU TRANSPORTATION OFFICER  
DDSP NEW CUMBERLAND FACILITY  
BUILDING MISSION DOOR 113 134  
NEW CUMBERLAND PA 17070-5001

FREIGHT SHIPPING ADDRESS:

W25G1U  
TRANSPORTATION OFFICER  
DDSP NEW CUMBERLAND FACILITY  
BUILDING MISSION DOOR 113-134  
NEW CUMBERLAND PA 17070-5001

NON-MILSTRIP  
PROJ

\*\*\*\*\*

<u>ITEM</u>	<u>PR</u>	<u>PRLI</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0002	YPC04273000520	0002	16	EA	\$46.08000	\$737.28

QTY VARIANCE: PLUS 0% MINUS 0%  
INSPECTION POINT: ORIGIN  
ACCEPTANCE POINT: ORIGIN

CONTINUED ON NEXT PAGE

SECTION B

PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999  
MIL-STD-2073 PACKAGING DATA SAME AS PRIOR LINE

DELIVER FOB: DESTINATION BY: 2005 FEB 11

PARCEL POST ADDRESS:

W62G2T  
XU DEF DIST DEPOT SAN JOAQUIN  
TRANSPORTATION OFFICER  
PO BOX 960001  
STOCKTON CA 95296-0130

FREIGHT SHIPPING ADDRESS:

W62G2T  
XU DEF DIST DEPOT SAN JOAQUIN  
25600 S CHRISMAN ROAD  
REC WHSE 10 PH 209 839 4307  
TRACY CA 95304-5000

NON-MILSTRIP  
PROJ

\*\*\*\*\*

PR YPC04274000735  
NSN 2520-01-305-0044

ITEM DESCRIPTION:

UNIVERSAL JOINT. USED ON M973 (SUSV) TRACKED  
COMMAND AND RADIO CARRIER.

CRITICAL APPLICATION ITEM

U.S. DEFENSE SERVICES INC. (0BAT5) P/N 91990-991  
ALVIS HAGGLUNDS AB (S3465) P/N 91990-991

CONTINUED ON NEXT PAGE

## CONTINUATION SHEET

Order Number:

DAAE07-03-D-S023-UB48

PAGE OF PAGES

6 17

## SECTION B

<u>ITEM</u>	<u>PR</u>	<u>PRLI</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0003	YPC04274000735	0001	20	EA	\$133.30000	\$2666.00

QTY VARIANCE: PLUS 0% MINUS 0%  
 INSPECTION POINT: ORIGIN  
 ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999

QUP = 001: PRES MTHD = 20: CLNG/DRY = 1: PRESV MAT = XX:

WRAP MAT = XX: CUSH/DUNN MAT = XX: CUSH/DUNN THKNSS = X:

UNIT CONT = 10: OPI = 0:

INTRMDTE CONT = XX: INTRMDTE CONT QTY = AAA:

PACK CODE = U:

MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.

SPECIAL MARKING CODE: 00 - NO SPECIAL MARKING.

PALLETIZATION SHALL BE IN ACCORDANCE WITH DC1636P001 REV E

DATED 3029

For all shipments of packaged materiel to the government, which includes either depot (DLA-direct) or DVD (customer-direct) shipments, both DoD linear and 2-D bar code markings are required on military shipping labels in accordance with MIL-STD-129, revision P, dated December 15, 2002. 2-D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. MSL label stock quality shall meet MIL-PRF-61002. MSL bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2-D and/or linear bar codes. All DVD shipments shall meet additional linear bar coding requirements in DLAD 52.211-9008. When the contract/order omits any data element required to be bar-coded, the field shall be zero-filled. These requirements do not apply to delivery orders when the basic contract has not been modified to require MIL-STD-129P. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

DELIVER FOB: DESTINATION BY: 2005 MAR 13

PARCEL POST ADDRESS:

CONTINUED ON NEXT PAGE

SECTION B

W25G1U  
XU TRANSPORTATION OFFICER  
DDSP NEW CUMBERLAND FACILITY  
BUILDING MISSION DOOR 113 134  
NEW CUMBERLAND PA 17070-5001

FREIGHT SHIPPING ADDRESS:

W25G1U  
TRANSPORTATION OFFICER  
DDSP NEW CUMBERLAND FACILITY  
BUILDING MISSION DOOR 113-134  
NEW CUMBERLAND PA 17070-5001

NON-MILSTRIP  
PROJ

\*\*\*\*\*

PR YPC04274000823  
NSN 2540-01-163-4993

ITEM DESCRIPTION:

BLADE, WINDSHIELD WIPER.

U.S. DEFENSE SERVICES INC. (0BAT5) P/N 91185-991  
ALVIS HAGGLUNDS AB (S3465) P/N 91185-991

<u>ITEM</u>	<u>PR</u>	<u>PRLI</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0004	YPC04274000823	0001	209	EA	\$12.86000	\$2687.74
	QTY VARIANCE: PLUS 0%		MINUS 0%			
	INSPECTION POINT: ORIGIN					
	ACCEPTANCE POINT: ORIGIN					

CONTINUED ON NEXT PAGE

## SECTION B

## PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999

QUP = 001: PRES MTHD = ZZ: CLNG/DRY = X: PRESV MAT = XX:

WRAP MAT = XX: CUSH/DUNN MAT = XX: CUSH/DUNN THKNESS = X:

UNIT CONT = XX: OPI = O:

INTRMDTE CONT = XX: INTRMDTE CONT QTY = AAA:

PACK CODE = U:

MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.

SPECIAL MARKING CODE: 00 - NO SPECIAL MARKING.

PALLETIZATION SHALL BE IN ACCORDANCE WITH DC1636P001 REV D

DATED 1277

SUPPLEMENTAL INSTRUCTIONS

PRESERVATION AND PACKAGING SHALL BE  
IAW ASTM-D3951, COMMERCIAL PACKAGING.

For all shipments of packaged materiel to the government, which includes either depot (DLA-direct) or DVD (customer-direct) shipments, both DoD linear and 2-D bar code markings are required on military shipping labels in accordance with MIL-STD-129, revision P, dated December 15, 2002. 2-D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. MSL label stock quality shall meet MIL-PRF-61002. MSL bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2-D and/or linear bar codes. All DVD shipments shall meet additional linear bar coding requirements in DLAD 52.211-9008. When the contract/order omits any data element required to be bar-coded, the field shall be zero-filled. These requirements do not apply to delivery orders when the basic contract has not been modified to require MIL-STD-129P. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

DELIVER FOB: DESTINATION BY: 2004 DEC 13

PARCEL POST ADDRESS:

W62G2T

XU DEF DIST DEPOT SAN JOAQUIN

TRANSPORTATION OFFICER

PO BOX 960001

STOCKTON

CA 95296-0130

CONTINUED ON NEXT PAGE

SECTION B

FREIGHT SHIPPING ADDRESS:

W62G2T  
XU DEF DIST DEPOT SAN JOAQUIN  
25600 S CHRISMAN ROAD  
REC WHSE 10 PH 209 839 4307  
TRACY CA 95304-5000

NON-MILSTRIP  
PROJ

\*\*\*\*\*

PR YPC04274000825  
NSN 2540-01-171-4634

ITEM DESCRIPTION:

WIPER WINDSHIELD, VEHICULAR.  
"CLASS I OZONE DEPLETING CHEMICALS ARE NOT TO BE  
USED NOR INCORPORATED IN ANY ITEMS TO BE  
DELIVERED UNDER THIS CONTRACT. THIS PROHIBITION  
SUPERSEDES ALL SPECIFICATION REQUIREMENTS BUT  
DOES NOT ALLEVIATE ANY PRODUCT REQUIREMENTS.  
SUBSTITUTE CHEMICALS MUST BE SUBMITTED FOR  
APPROVAL UNLESS THEY ARE AUTHORIZED BY THE  
SPECIFICATION REQUIREMENTS."

ALVIS HAGGLUNDS AB (S3465) P/N 61792156-340  
ALVIS HAGGLUNDS AB (S3465) P/N 94731-991

<u>ITEM</u>	<u>PR</u>	<u>PRLI</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0005	YPC04274000825	0001	233	EA	\$14.82000	\$3453.06

QTY VARIANCE: PLUS 0% MINUS 0%  
INSPECTION POINT: ORIGIN  
ACCEPTANCE POINT: ORIGIN

CONTINUED ON NEXT PAGE

## SECTION B

PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999

QUP = 001: PRES MTHD = ZZ: CLNG/DRY = X: PRESV MAT = XX:

WRAP MAT = XX: CUSH/DUNN MAT = XX: CUSH/DUNN THKNSS = X:

UNIT CONT = XX: OPI = 0:

INTRMDTE CONT = XX: INTRMDTE CONT QTY = XXX:

PACK CODE = U:

MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.

SPECIAL MARKING CODE: 00 - NO SPECIAL MARKING.

PALLETIZATION SHALL BE IN ACCORDANCE WITH DC1636P001 REV D

DATED 1277

SUPPLEMENTAL INSTRUCTIONS

PRESERVATION AND PACKAGING SHALL BE  
IAW ASTM-D3951, COMMERCIAL PACKAGING.

For all shipments of packaged materiel to the government, which includes either depot (DLA-direct) or DVD (customer-direct) shipments, both DoD linear and 2-D bar code markings are required on military shipping labels in accordance with MIL-STD-129, revision P, dated December 15, 2002. 2-D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. MSL label stock quality shall meet MIL-PRF-61002. MSL bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2-D and/or linear bar codes. All DVD shipments shall meet additional linear bar coding requirements in DLAD 52.211-9008. When the contract/order omits any data element required to be bar-coded, the field shall be zero-filled. These requirements do not apply to delivery orders when the basic contract has not been modified to require MIL-STD-129P. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

DELIVER FOB: DESTINATION BY: 2005 FEB 11

PARCEL POST ADDRESS:

W62G2T

XU DEF DIST DEPOT SAN JOAQUIN

TRANSPORTATION OFFICER

PO BOX 960001

STOCKTON

CA 95296-0130

CONTINUED ON NEXT PAGE

SECTION B

FREIGHT SHIPPING ADDRESS:

W62G2T  
XU DEF DIST DEPOT SAN JOAQUIN  
25600 S CHRISMAN ROAD  
REC WHSE 10 PH 209 839 4307  
TRACY CA 95304-5000

NON-MILSTRIP  
PROJ

\*\*\*\*\*

<u>ITEM</u>	<u>PR</u>	<u>PRLI</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0006	YPC04274000825	0002	73	EA	\$14.82000	\$1081.86

QTY VARIANCE: PLUS 0% MINUS 0%  
INSPECTION POINT: ORIGIN  
ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999  
MIL-STD-2073 PACKAGING DATA SAME AS PRIOR LINE

DELIVER FOB: DESTINATION BY: 2005 FEB 11

PARCEL POST ADDRESS:

W25G1U  
XU TRANSPORTATION OFFICER  
DDSP NEW CUMBERLAND FACILITY  
BUILDING MISSION DOOR 113 134  
NEW CUMBERLAND PA 17070-5001

FREIGHT SHIPPING ADDRESS:

W25G1U  
TRANSPORTATION OFFICER  
DDSP NEW CUMBERLAND FACILITY  
BUILDING MISSION DOOR 113-134  
NEW CUMBERLAND PA 17070-5001

CONTINUED ON NEXT PAGE

SECTION B

NON-MILSTRIP  
PROJ

\*\*\*\*\*

PR YPC04280001980  
NSN 2510-01-168-1434

ITEM DESCRIPTION:

SPRING, DOOR HOLDER.  
U.S. DEFENSE SERVICES INC. (0BAT5) P/N 91734-991  
ALVIS HAGGLUNDS AB (S3465) P/N 91734-991

<u>ITEM</u>	<u>PR</u>	<u>PLI</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0007	YPC04280001980	0001	84	EA	\$26.65000	\$2238.60

QTY VARIANCE: PLUS 0% MINUS 0%  
INSPECTION POINT: ORIGIN  
ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999  
QUP = 001: PRES MTHD = ZZ: CLNG/DRY = X: PRESV MAT = XX:  
WRAP MAT = XX: CUSH/DUNN MAT = XX: CUSH/DUNN THKNSS = X:  
UNIT CONT = XX: OPI = O:  
INTRMDTE CONT = XX: INTRMDTE CONT QTY = AAA:  
PACK CODE = U:  
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.  
SPECIAL MARKING CODE: 00 - NO SPECIAL MARKING.  
PALLETIZATION SHALL BE IN ACCORDANCE WITH DC1636P001 REV E  
DATED 3029  
SUPPLEMENTAL INSTRUCTIONS  
PACKAGING SHALL BE STANDARD COMMERCIAL  
IAW ASTM D 3951.

PRESERVATION AND PACKAGING SHALL BE  
IAW ASTM-D3951, COMMERCIAL PACKAGING.

CONTINUED ON NEXT PAGE

SECTION B

For all shipments of packaged materiel to the government, which includes either depot (DLA-direct) or DVD (customer-direct) shipments, both DoD linear and 2-D bar code markings are required on military shipping labels in accordance with MIL-STD-129, revision P, dated December 15, 2002. 2-D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. MSL label stock quality shall meet MIL-PRF-61002. MSL bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2-D and/or linear bar codes. All DVD shipments shall meet additional linear bar coding requirements in DLAD 52.211-9008. When the contract/order omits any data element required to be bar-coded, the field shall be zero-filled. These requirements do not apply to delivery orders when the basic contract has not been modified to require MIL-STD-129P. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

DELIVER FOB: DESTINATION BY: 2004 DEC 13

PARCEL POST ADDRESS:

W62G2T  
XU DEF DIST DEPOT SAN JOAQUIN  
TRANSPORTATION OFFICER  
PO BOX 960001  
STOCKTON CA 95296-0130

FREIGHT SHIPPING ADDRESS:

W62G2T  
XU DEF DIST DEPOT SAN JOAQUIN  
25600 S CHRISMAN ROAD  
REC WHSE 10 PH 209 839 4307  
TRACY CA 95304-5000

NON-MILSTRIP  
PROJ CI7

\*\*\*\*\*

PR YPC04280002018  
NSN 2540-01-167-1726

CONTINUED ON NEXT PAGE

## SECTION B

## ITEM DESCRIPTION:

VALVE, AIR, HEATER.

"CLASS I OZONE DEPLETING CHEMICALS ARE NOT TO BE USED NOR INCORPORATED IN ANY ITEMS TO BE DELIVERED UNDER THIS CONTRACT. THIS PROHIBITION SUPERSEDES ALL SPECIFICATION REQUIREMENTS BUT DOES NOT ALLEVIATE ANY PRODUCT REQUIREMENTS. SUBSTITUTE CHEMICALS MUST BE SUBMITTED FOR APPROVAL UNLESS THEY ARE AUTHORIZED BY THE SPECIFICATION REQUIREMENTS."

ALVIS HAGGLUNDS AB (S3465) P/N 1536150-601  
ALVIS HAGGLUNDS AB (S3465) P/N 90062-991

<u>ITEM</u>	<u>PR</u>	<u>PRLI</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0008	YPC04280002018	0001	110	EA	\$16.59000	\$1824.90

QTY VARIANCE: PLUS 0% MINUS 0%  
INSPECTION POINT: ORIGIN  
ACCEPTANCE POINT: ORIGIN

## PREP FOR DELIVERY

° PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999  
QUP = 001: PRES MTHD = AE: CLNG/DRY = 1: PRESV MAT = 00:  
WRAP MAT = 00: CUSH/DUNN MAT = XX: CUSH/DUNN THKNSS = X:  
UNIT CONT = D4: OPI = 0:  
INTRMDTE CONT = DO: INTRMDTE CONT QTY = AAA:  
PACK CODE = U:  
MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.  
SPECIAL MARKING CODE: 00 - NO SPECIAL MARKING.  
PALLETIZATION SHALL BE IN ACCORDANCE WITH DC1636P001 REV D  
DATED 1277

For all shipments of packaged materiel to the government, which includes either depot (DLA-direct) or DVD (customer-direct) shipments, both DoD linear and 2-D bar code markings are required on military shipping labels in accordance with MIL-STD-129, revision P, dated December 15, 2002. 2-D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code

CONTINUED ON NEXT PAGE

SECTION B

39) bar coding shall be in accordance with ISO/IEC 16388. MSL label stock quality shall meet MIL-PRF-61002. MSL bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2-D and/or linear bar codes. All DVD shipments shall meet additional linear bar coding requirements in DLAD 52.211-9008. When the contract/order omits any data element required to be bar-coded, the field shall be zero-filled. These requirements do not apply to delivery orders when the basic contract has not been modified to require MIL-STD-129P. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

DELIVER FOB: DESTINATION BY: 2004 DEC 13

PARCEL POST ADDRESS:

W62G2T  
XU DEF DIST DEPOT SAN JOAQUIN  
TRANSPORTATION OFFICER  
PO BOX 960001  
STOCKTON CA 95296-0130

FREIGHT SHIPPING ADDRESS:

W62G2T  
XU DEF DIST DEPOT SAN JOAQUIN  
25600 S CHRISMAN ROAD  
REC WHSE 10 PH 209 839 4307  
TRACY CA 95304-5000

NON-MILSTRIP  
PROJ CI7

\*\*\*\*\*

PR YPC04281000761  
NSN 4720-01-386-4213

ITEM DESCRIPTION:

GUARD, HOSE-TUBING

CONTINUED ON NEXT PAGE

## SECTION B

"CLASS I OZONE DEPLETING CHEMICALS ARE NOT TO BE USED NOR INCORPORATED IN ANY ITEMS TO BE DELIVERED UNDER THIS CONTRACT. THIS PROHIBITION SUPERSEDES ALL SPECIFICATION REQUIREMENTS BUT DOES NOT ALLEVIATE ANY PRODUCT REQUIREMENTS. SUBSTITUTE CHEMICALS MUST BE SUBMITTED FOR APPROVAL UNLESS THEY ARE AUTHORIZED BY THE SPECIFICATION REQUIREMENTS."

U.S. DEFENSE SERVICES INC.	(0BAT5)	P/N	93783-991
FREIGHTLINER LLC	(64678)	P/N	6020160081
DAIMLERCHRYSLER AG	(D8046)	P/N	6020160081
ALVIS HAGGLUNDS AB	(S3465)	P/N	4538489-003
ALVIS HAGGLUNDS AB	(S3465)	P/N	93783-991

<u>ITEM</u>	<u>PR</u>	<u>PRLI</u>	<u>QUANTITY</u>	<u>UNIT</u>	<u>UNIT PRICE</u>	<u>AMOUNT</u>
0009	YPC04281000761	0001	70	EA	\$1.72000	\$120.40

QTY VARIANCE: PLUS 0% MINUS 0%  
 INSPECTION POINT: ORIGIN  
 ACCEPTANCE POINT: ORIGIN

PREP FOR DELIVERY

PKGING DATA - MIL-STD-2073-1D, 15 DEC 1999  
 QUP = 010: PRES MTHD = 10: CLNG/DRY = 1: PRESV MAT = 00:  
 WRAP MAT = XX: CUSH/DUNN MAT = XX: CUSH/DUNN THKNSS = X:  
 UNIT CONT = D3: OPI = O:  
 INTRMDTE CONT = DO: INTRMDTE CONT QTY = AAA:  
 PACK CODE = U:  
 MARKING SHALL BE IN ACCORDANCE WITH MIL-STD-129.  
 SPECIAL MARKING CODE: 00 - NO SPECIAL MARKING.  
 PALLETIZATION SHALL BE IN ACCORDANCE WITH DC1636P001 REV E  
 DATED 3029

For all shipments of packaged materiel to the government, which includes either depot (DLA-direct) or DVD (customer-direct) shipments, both DoD linear and 2-D bar code markings are required on military shipping labels in accordance with MIL-STD-129, revision P, dated December 15, 2002. 2-D bar coding shall be in accordance with ISO/IEC 15438, ISO/IEC 15434 (ANSI MH10.8.3) and DoD 4500.9-R. MSL linear (code 3 of 9 or code 39) bar coding shall be in accordance with ISO/IEC 16388. MSL label stock quality shall meet MIL-PRF-61002. MSL bar code print quality shall meet ANSI MH10.8-2000 or ANSI X3.182-1990 (R2000) for applicable 2-D and/or linear bar

CONTINUED ON NEXT PAGE

SECTION B

codes. All DVD shipments shall meet additional linear bar coding requirements in DLAD 52.211-9008. When the contract/order omits any data element required to be bar-coded, the field shall be zero-filled. These requirements do not apply to delivery orders when the basic contract has not been modified to require MIL-STD-129P. If there are inconsistencies between the schedule and MIL-STD-129P, the schedule takes precedence.

DELIVER FOB: DESTINATION BY: 2005 JAN 12

PARCEL POST ADDRESS:

W62G2T  
XU DEF DIST DEPOT SAN JOAQUIN  
TRANSPORTATION OFFICER  
PO BOX 960001  
STOCKTON CA 95296-0130

FREIGHT SHIPPING ADDRESS:

W62G2T  
XU DEF DIST DEPOT SAN JOAQUIN  
25600 S CHRISMAN ROAD  
REC WHSE 10 PH 209 839 4307  
TRACY CA 95304-5000

NON-MILSTRIP  
PROJ CI7

\*\*\*\*\*

REMIT PAYMENT TO:

\*\*\*\*\*